

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L2 | 124 | valve and blocking adj pin | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 11:08 |
| L4 | 4 | valve and blocking adj pin and temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 11:33 |
| L6 | 2 | 251/89 and temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 11:44 |
| L8 | 85 | 251/11 and temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 11:45 |
| L9 | 2 | 251/11 and temperature adj sensor and (stop or block\$5) adj pin | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 11:46 |
| S1 | 2 | (steriliz\$5 or disinfect\$5 or decontamin\$7) adj container and 422/292 and valve and temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 09:48 |
| S2 | 0 | (steriliz\$5 or disinfect\$5 or decontamin\$7) adj container and 422/300 and valve and temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 13:53 |
| S3 | 2 | (steriliz\$5 or disinfect\$5 or decontamin\$7) adj container and 422/297 and valve and temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 13:55 |
| S4 | 1 | ("4512498").PN. | USPAT; USOCR | OR | OFF | 2005/03/09 14:01 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S5 | 1 | ("4551311").PN. | USPAT; USOCR | OR | OFF | 2005/03/09 14:01 |
| S6 | 604 | (steriliz\$5 or disinfect\$5 or decontamin\$7) adj container and valve | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:06 |
| S7 | 44 | (steriliz\$5 or disinfect\$5 or decontamin\$7) adj container and valve with sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:10 |
| S8 | 4 | (steriliz\$5 or disinfect\$5 or decontamin\$7) adj container and valve with sensor and wagner | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:43 |
| S9 | 114 | stop and valve with sensor and wagner | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:57 |
| S10 | 2 | stop and valve with sensor and wagner with peter | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:48 |
| S11 | 0 | valve and temeprature adj sensor and stop and snap-disk | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:48 |
| S12 | 1 | valve and temperature adj sensor and stop and snap-disk | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:48 |
| S13 | 2329 | stop and valve with temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 15:12 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S14 | 0 | stop and valve with temperature adj sensor and snap adj disks | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 15:44 |
| S15 | 0 | stop and valve with temperature adj sensor and snapdisks | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:57 |
| S17 | 0 | stop and valve with temperature adj sensor and snap-disks | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 14:58 |
| S18 | 181 | stop with valve with temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 15:40 |
| S19 | 105 | stop and valve with temperature adj sensor and snap | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 15:00 |
| S20 | 2 | stop and valve with temperature adj sensor and 236/48R | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 15:30 |
| S22 | 2 | stop and snap with valve with temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 15:40 |
| S23 | 19 | stop and valve and temperature adj sensor and snap adj disk | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 15:45 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S24 | 0 | insulated adj valve with temperature adj sensor and container | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 15:46 |
| S25 | 4 | insulated adj valve and temperature adj sensor and container | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 15:51 |
| S26 | 27 | insulated with valve with temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 16:05 |
| S27 | 18015 | valve with temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 16:29 |
| S28 | 43 | valve with blocking adj pin | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 16:29 |
| S29 | 35 | (steriliz\$5 or disinfect\$5 or decontamin\$7) adj container and valve and temperature adj sensor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:15 |
| S30 | 109 | valve with temperature adj sensor with insulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:27 |
| S31 | 3081 | temperature adj sensor with insulat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:28 |

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S32 | 225 | temperature adj sensor with insulat\$3 with gas | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:32 |
| S33 | 133 | temperature adj sensor with insulat\$3 with (liquid or condensat\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:35 |
| S34 | 0 | temperature adj sensor with insulat\$3 with (liquid or condensat\$5) and measure adj gas | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:35 |
| S35 | 7 | temperature adj sensor and insulat\$3 with (liquid or condensat\$5) and measure adj gas | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:36 |
| S36 | 0 | temperature adj sensor with protect with (liquid or condensat\$5) and measure adj gas | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:37 |
| S37 | 3 | temperature adj sensor with protect with (liquid or condensat\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:37 |
| S38 | 2 | temperature adj sensor and protect with (liquid or condensat\$5) and gas adj measur\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:38 |
| S39 | 0 | temperature adj sensor with measure adj gas and (protect or cover) with (liquid or condensat\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:38 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S40 | 0 | temperature adj sensor with insulate and (protect or cover) with (liquid or condensat\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:38 |
| S41 | 38 | temperature adj sensor with insulat\$6 and (protect or cover) with (liquid or condensat\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:40 |
| S42 | 233 | temperature adj sensor and (protect) with (liquid or condensat\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:40 |
| S43 | 13 | temperature adj sensor same (protect) with (liquid or condensat\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:41 |
| S44 | 553 | temperature adj sensor with condensat\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:41 |
| S45 | 2 | temperature adj sensor with condensat\$5 and measure adj gas | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:42 |
| S46 | 0 | insalut\$ with temperature adj sensor same protect | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:42 |
| S47 | 36 | insulat\$5 with temperature adj sensor same protect | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:44 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S48 | 91 | (insulat\$5 or cover or house) with temperature adj sensor same accurate | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 11:48 |
| S49 | 12 | (insulat\$5 or cover or house or shield) with temperature adj sensor with condensat\$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 09:21 |
| S50 | 1 | "5352416" and hysteresis | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/10 15:41 |
| S51 | 0 | "363115022" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 09:22 |
| S52 | 1 | "63115022" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 09:26 |
| S53 | 1 | ("5352416").PN. | USPAT; USOCR | OR | OFF | 2005/03/11 09:29 |
| S54 | 13 | "4111075" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/11 10:41 |